

## MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT INFORMATION	Hazardous Material Identification System
<b>SUPPLIER:</b> Soltex, Inc. 3707 FM1960 West, Suite 560 Houston, TX 77068	Health [0]
<b>EMERGENCY TELEPHONE NUMBERS:</b> Business Hours: 8:30a.m. - 5:00p.m. - (281) 587-0900 (USA) After Hours: (281) 587-0900 (USA) CANUTEC: (613) 996-6666 CHEMTREC: 1-800-424-9300	Flammability [0]
<b>MANUFACTURER:</b> Soltex, Inc.	Reactivity [0]
<b>MATERIAL NAME:</b> Naptel 500 Flooding Compound (Formerly CI 500)	Personal Protection [A]
<b>MATERIAL USE:</b> Telecom Cable Flooding Compound	WHMIS Rating [N/A]
	WHMIS Controlled or Uncontrolled Product (C/U) [U]
	PRODUCT CODE # C105000/C105001

### SECTION II - HAZARDOUS INGREDIENTS

Hazardous Ingredients	Conc. % Wt/Wt	Toxicity Data LD <sub>50</sub> /LC <sub>50</sub>	C.A.S. #
Polymeric hindered Phenolic Antioxidant	0.15 - 0.30	Not available	Not available

### SECTION III - PHYSICAL DATA

Physical State: Gas [ ] Liquid [ ] Solid [X]

Odor and Appearance:	Odorless, Pale Brown Amorphous Waxy Solid
Odor Threshold (p.p.m.):	NOT AVAILABLE
Vapor Pressure (mm Hg):	NOT AVAILABLE
pH:	NOT AVAILABLE
Density/25°C:	0.880 Kg-Litre Typical
Vapor Density (Air = 1):	NOT APPLICABLE AT AMBIENT TEMPERATURE
Evaporation Rate (n butyl acetate = 1):	NOT APPLICABLE AT AMBIENT TEMPERATURE
Coefficient Of Water/Oil Distribution:	NOT AVAILABLE
Boiling Point (760 mmHg):	NOT AVAILABLE
Viscosity (150°C) ASTM3236:	50 cps Typical
Softening Point (R and B, ASTM – E28)	90°C Typical

### SECTION IV - FIRE OR EXPLOSION HAZARD

Flammability  
Yes [ ] No [ x]

Means of Extinction: CO<sub>2</sub>, FOAM, DRY CHEMICAL.

Upper Flammability Limit: NOT AVAILABLE

Lower Flammability Limit: NOT AVAILABLE

Auto Ignition Temperature: NOT AVAILABLE

Hazardous Combustion Products: CO, CO<sub>2</sub>

Flash Point (ASTM D92): 180°C TYPICAL

**SECTION IV - FIRE OR EXPLOSION HAZARD (CONTINUED)**

Explosion Data - Sensitivity to:

1) Mechanical Impact: NIL

2) Static Discharge: NIL

**SECTION V - REACTIVITY DATA**

Chemical Stability: If no, under which conditions:  
Stable  NOT APPLICABLE  
Unstable

Incompatibility To Other Substances: If so, which ones:  
Yes  No  STRONG OXIDIZING AGENTS

Reactivity and under what conditions: NOT APPLICABLE

Hazardous Decomposition Products: NOT APPLICABLE

**SECTION VI - TOXICOLOGICAL PROPERTIES**

Route of Entry:

- 1) Skin Contact: MAY CAUSE MILD DERMATITIS ON PROLONGED CONTACT WITH SENSITIVE OR ALLERGIC PEOPLE
- 2) Eye Contact: MINIMAL IRRITATION MAY OCCUR
- 3) Ingestion: CONSIDERED TO BE NON TOXIC
- 4) Skin Absorption: CONSIDERED TO BE NON TOXIC
- 5) Inhalation: NOT APPLICABLE AT AMBIENT TEMPERATURE. ABOVE 100°C VAPOUR MAY CAUSE HEADACHE AND/OR NAUSEA.

Toxicologically Synergistic Materials: NONE KNOWN

Effects of Acute Exposure to Material: NOT APPLICABLE

Effects of Chronic Exposure to Material: MAY CAUSE MILD DERMATITIS TO SENSITIVE OR ALLERGIC PEOPLE

Exposure Limit:	NOT DETERMINED
Irritancy of Material:	NOT APPLICABLE
Sensitization to Material:	NOT APPLICABLE
Teratogenicity:	NOT APPLICABLE
Carcinogenicity:	NOT APPLICABLE
Mutagenicity:	NOT APPLICABLE
Reproductive Effects:	NOT APPLICABLE

---

**SECTION VII - PREVENTATIVE MEASURES**

---

**Personal Protective Equipment:**

SAFETY GLASSES AT AMBIENT TEMPERATURE

**Engineering Controls (eg. ventilation, enclosed process, specify):**

NONE REQUIRED AT AMBIENT TEMPERATURE. LOCAL VENTILATION RECOMMENDED WHEN HANDLING AT 100°C AND ABOVE

**Leak and Spill Procedure:**

CONTAIN LIQUID BY DYKING UNTIL SOLIDIFICATION OCCURS, SCRAPE UP, PLACE IN CONTAINER.

---

**SECTION VII - PREVENTATIVE MEASURES (CONTINUED)**

---

**Waste Disposal:**

RECLAIM. DISPOSE OF BY LICENSED AND RECOGNIZED OPERATOR.

**Storage and Handling Procedures:**

STORE AWAY FROM EXCESSIVE HEAT.

**Special Shipping Requirements:**

No special shipping requirement

**Other Regulatory Controls:****SARA/TITLE III - TOXIC CHEMICALS LIST**

THIS PRODUCT DOES NOT CONTAIN A TOXIC CHEMICAL FOR ROUTINE ANNUAL "TOXIC CHEMICAL RELEASE REPORTING" UNDER SEC. 313 (40 CFR 372).

TSCA INVENTORY STATUS: CHEMICAL COMPONENTS LISTED ON TSCA INVENTORY

DOMESTIC SUBSTANCE LIST: CHEMICAL COMPONENTS LIST ON THE DSL

**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):**

THIS PRODUCT DOES NOT CONTAIN A CHEMICAL KNOWN TO THE STATE TO CAUSE CANCER OR REPRODUCTIVE TOXICITY.

**NEW JERSEY RIGHT TO KNOW LABELING INFORMATION:**

Butene, homopolymer

CAS 9003-29-6

Revision Number: 5

Revision Date: 110107

Supersedes: 020606

Page 3 of 4

Product Number: Naptel 500



**SOLTEX, INC.**  
**3707 FM 1960 West, Suite 560**  
**Houston, TX 77068**  
**Phone: 281 587-0900 • Fax: 281 587-1998**  
**www.soltexinc.com**

Polymeric hindered Phenolic Antioxidant

CAS not available

---

**SECTION VIII - FIRST AID MEASURES**

---

Specific First Aid Measures:

SKIN CONTACT: WASH WITH MILD SOAP AND WATER. LAUNDER CONTAMINATED CLOTHING PRIOR TO REUSE.  
EYE CONTACT: FLUSH WITH COPIOUS QUANTITIES OF WATER FOR AT LEAST 15 MINUTES.  
INGESTION: OBTAIN MEDICAL ATTENTION.  
INHALATION: REMOVE TO FRESH AIR.

---

**SECTION IX - SPECIAL NOTES**

---

THIS MSDS REVISION HAS CHANGES IN THE FOLLOWING SECTIONS:

SECTION I - PRODUCT INFORMATION: Supplier Name  
SECTION X - PREPARATION INFORMATION: Supplier Name, Date, Revision Number, Preparation Info. Address, Phone Number

---

**SECTION X - PREPARATION INFORMATION**

---

Prepared by: TECHNICAL DEPT.  
Soltex, Inc.  
3707 FM1960 West, Suite 560 Houston, TX 77068  
Phone Number: 281 587 0900  
Date: November 1, 2007; Revision Number (#5)

---

The company shall not be liable for any damages arising from the information contained on this data sheet howsoever caused, if the product in question is not employed in normal or reasonably foreseeable use or circumstances. The company shall not be liable for any indirect or consequential damages arising out of the use of the information contained on this data sheet howsoever caused.

---